



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

C45-8-2 S
Job Sheet 192151



Part No: C45-8-2 S

Job Qty: 6 pcs

Part Name: Solenoid



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 3/18/19

Job Tracking No:

Due Date: 4/26/19

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: DWG C45-8-2 Rev.5 IPP Rev. A 18.10.22 New issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Conventional Mill - 1	6 pcs	4/26/19		0.50	1.20	Conventional Mill - 1		
							Conventional Mill - 2		
110	QC 2	6 pcs	4/26/19		0.00	0.00	QC 2 - 1		
							QC 2 - 12		
							QC 2 - 14		
							QC 2 - 17		
							QC 2 - 19		
							QC 2 - 2		
							QC 2 - 20		
							QC 2 - 22		
							QC 2 - 23		
							QC 2 - 25		
							QC 2 - 32		
							QC 2 - 33		
							QC 2 - 35		
							QC 2 - 39		
							QC 2 - 4		
							QC 2 - 40		
							QC 2 - 44		
							QC 2 - 45		
							QC 2 - 48		
							QC 2 - 49		
							QC 2 - 50		
							QC 2 - 51		
							QC 2 - 52		
							QC 2 - 54		
							QC 2 - 56		
							QC 2 - 57		
							QC 2 - 62		
							QC 2 - 63		
							QC 2 - 8		



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S181898



Part: C45-8-2 S

Job No: 192151

Serial No/Batch: S181898

Revision: 5

Inspector:

Exp Date:

Instructions:

Date: 05/16/19

Plex 3/18/19 11:30 AM Dart.lajeunesse.marie

120	QC 8	6 pcs	4/26/19	0.00 0.00	QC 2 - 66	
					QC 2 - 64	
					QC 2 - 65	
					QC 8 - 12	
					QC 8 - 14	and 19/05/16
					QC 8 - 17	
					QC 8 - 20	
					QC 8 - 25	
					QC 8 - 3	
					QC 8 - 32	
					QC 8 - 33	
					QC 8 - 35	
					QC 8 - 39	
					QC 8 - 4	
					QC 8 - 44	
					QC 8 - 45	
					QC 8 - 49	
					QC 8 - 58	
					QC 8 - 8	
					QC 8 - 9	
					QC 8 - 68	
					QC 8 - 67	
					QC 8 - 1 (A)	
					QC 8 - 47	
					QC 8 - 40	
130	Packaging 3-1 - Stock - B4B	6 pcs	4/26/19	0.00 0.00	Packaging 3 - 1 - B4B	
					Packaging 3 - 2 - B4B	
					Packaging 3 - 3 - B4B	
					Packaging 3 - 4 - B4B	
					Packaging 3 - 5 - B4B	DAS 28 9-89
					Packaging 3 - 6 - B4B	
					Packaging 3 - 7 - B4B	
					Packaging 3 - 8 - B4B	
					Packaging 3 - 9 - B4B	
					Packaging 3 - 10 - B4B	
					Packaging 3 - 11 - B4B	
					Packaging 3 - 12 - B4B	
					Packaging 3 - 13 - B4B	
					Packaging 3 - 14 - B4B	
					Packaging 3 - 15 - B4B	
					Packaging 3 - 16 - B4B	
					Packaging 3 - 17 - B4B	
					Packaging 3 - 18 - B4B	
					Packaging 3 - 19 - B4B	
					Packaging 3 - 20 - B4B	
					Packaging 3 - 21 - B4B	
					Packaging 3 - 22 - B4B	
					Packaging 3 - 23 - B4B	
					Packaging 3 - 24 - B4B	
					Packaging 3 - 25 - B4B	
					Packaging 3 - 26 - B4B	
					Packaging 3 - 27 - B4B	
					Packaging 3 - 28 - B4B	
					Packaging 3 - 29 - B4B	
					Packaging 3 - 30 - B4B	
					Packaging 3 - 31 - B4B	
					Packaging 3 - 32 - B4B	
					Packaging 3 - 33 - B4B	
					Packaging 3 - 34 - B4B	

				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
140 QC 21 - SA	6 pcs	4/26/19	0.00 0.00	QC 21 - SA - 21	DAS
				QC 21 - SA - 70	21 MAY 17 2019
				QC 21 - SA - 53	9-89
Part Op 100 - (Manufacture as per dwg) 1-Drill hole in shaft. ROTATE SHAFT CLOCK WISE TO BEGINNING OF STROKE. Descriptions: THEN DRILL 90 deg. as per DWG sheet 2 2-Engrave S/N and/or P/N number using Marktronic engraver as per DWG. 110 - (QC2- Inspect parts off machine FAI/FAIB) 120 - (QC8- Inspect parts - second check) 130 - (Identify as per dwg & Stock Location: _____) 140 - (QC21- Final Inspection - Work Order Release)					
Job BOM					
Part / Item	Component Name	Quantity	Operation	Container	
H-2553-020	Solenoid	6 Ea (1 ea)	100-Conventional Mill - 1	5181763	
Job Allocations					
Operation	Component Part	Required	Inventory	Allocated	
100-Conventional Mill - 1	H-2553-020	6	0	0	
Part Specifications					
Specifications could not be found.					

GA206

Plex 3/18/19 11:30 AM Dart.lajeunesse.marie

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE


NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
4	14-0099	C45-8-2 S CH'D DIMENSION FROM .340 TO 11/32.	7/29/2014	JAG	GE




SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

VO 192151 MJS
1903-18



ROTATE SHAFT CLOCK WISE TO BEGINNING OF STROKE. THEN DRILL 90° AS SHOWN



C45-8-2 S

SOLENOID

DART AEROSPACE	
TITLE SOLENOID C45-HOOK	
DWG NO. C45-8-2 S	REV 5
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1	DRAWN BY: CANAM APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC USED ON MODEL
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:2	DATE 5/15/1997
SHEET 2 OF 3	